



Think lighting, think

LUXNA
L A M P S

www.luxna.co.uk

LED DICHROIC COB GU10


- 250 and 500 Lumens
- 3000K, 4000K and 6000K
- 4W and 7W
- Beam angle: 38 Deg
- Colour: White
- Lens: Clear
- Height: 57mm
- Diameter: 50mm

Specifications

- Life (Hours): 30,000
- Dimmable: No
- Power Factor: >0.5PF
- CRI: >80
- Material: Plastic/Aluminium/Ceramic



Part Number	Wattage	Lumens	Colour Temperature	Colour	Voltage
LXLEDGU10/4WW	4W	250Lm	3000K	Warm White	220/240V
LXLEDGU10/4NW	4W	250Lm	4000K	Neutral White	220/240V
LXLEDGU10/4CW	4W	250Lm	6000K	Cool White	220/240V
LXLEDGU10/7WW	7W	500Lm	3000K	Warm White	220/240V
LXLEDGU10/7NW	7W	500Lm	4000K	Neutral White	220/240V
LXLEDGU10/7CW	7W	500Lm	6000K	Cool White	220/240V



LED GLS FILAMENT

- 440 and 620 Lumens
- 2700K
- 4W and 5W
- Beam angle: 360 Deg
- Coating: Clear or Frosted
- Height: 103mm
- Diameter: 60mm

Specifications

- Life (Hours): 30,000
- Dimmable: No
- Power Factor: $>0.4PF$ and $>0.5PF$
- CRI: >80
- Material: Glass

Part Number	Wattage	Lumens	Colour Temperature	Colour	Base/Cap	Coating	Voltage
LXLEDA60/4B22C	4 Watt	440Lm	2700K	Warm White	B22 / BC	Clear	220/240V
LXLEDA60/4B22F	4 Watt	440Lm	2700K	Warm White	B22 / BC	Frosted	220/240V
LXLEDA60/4E27C	4 Watt	440Lm	2700K	Warm White	E27 / ES	Clear	220/240V
LXLEDA60/4E27F	4 Watt	440Lm	2700K	Warm White	E27 / ES	Frosted	220/240V
LXLEDA60/5B22C	5 Watt	620Lm	2700K	Warm White	B22 / BC	Clear	220/240V
LXLEDA60/5B22F	5 Watt	620Lm	2700K	Warm White	B22 / BC	Frosted	220/240V
LXLEDA60/5E27C	5 Watt	620Lm	2700K	Warm White	E27 / ES	Clear	220/240V
LXLEDA60/5E27F	5 Watt	620Lm	2700K	Warm White	E27 / ES	Frosted	220/240V

LED CANDLE FILAMENT

- 180 and 220 Lumens
- 2700K
- Beam angle: 360 Deg
- Coating: Clear or Frosted
- Height: 100mm
- Diameter: 35mm

Specifications

- Life (Hours): 30,000
- Dimmable: No
- Power Factor: >0.5PF
- CRI: >80
- Material: Glass



Part Number	Wattage	Lumens	Colour Temperature	Colour	Base/Cap	Coating	Voltage
LXLEDC35/2B15C	2 Watt	220Lm	2700K	Warm White	B15 / SBC	Clear	220/240V
LXLEDC35/2B15F	2 Watt	180Lm	2700K	Warm White	B15 / SBC	Frosted	220/240V
LXLEDC35/2B22C	2 Watt	220Lm	2700K	Warm White	B22 / BC	Clear	220/240V
LXLEDC35/2B22F	2 Watt	180Lm	2700K	Warm White	B22 / BC	Frosted	220/240V
LXLEDC35/2E14C	2 Watt	220Lm	2700K	Warm White	E14 / SES	Clear	220/240V
LXLEDC35/2E14F	2 Watt	180Lm	2700K	Warm White	E14 / SES	Frosted	220/240V
LXLEDC35/2E27C	2 Watt	220Lm	2700K	Warm White	E27 / ES	Clear	220/240V
LXLEDC35/2E27F	2 Watt	180Lm	2700K	Warm White	E27 / ES	Frosted	220/240V



LED GOLF BALL FILAMENT

- 180 and 220 Lumens
- 2700K
- Beam angle: 360 Deg
- Coating: Clear or Frosted
- Height: 76mm
- Diameter: 45mm

Specifications

- Life (Hours): 30,000
- Dimmable: No
- Power Factor: >0.5PF
- CRI: >80
- Material: Glass

Part Number	Wattage	Lumens	Colour Temperature	Colour	Base/Cap	Coating	Voltage
LXLEDG45/2B15C	2 Watt	220Lm	2700K	Warm White	B15 / SBC	Clear	220/240V
LXLEDG45/2B15F	2 Watt	180Lm	2700K	Warm White	B15 / SBC	Frosted	220/240V
LXLEDG45/2B22C	2 Watt	220Lm	2700K	Warm White	B22 / BC	Clear	220/240V
LXLEDG45/2B22F	2 Watt	180Lm	2700K	Warm White	B22 / BC	Frosted	220/240V
LXLEDG45/2E14C	2 Watt	220Lm	2700K	Warm White	E14 / SES	Clear	220/240V
LXLEDG45/2E14F	2 Watt	180Lm	2700K	Warm White	E14 / SES	Frosted	220/240V
LXLEDG45/2E27C	2 Watt	220Lm	2700K	Warm White	E27 / ES	Clear	220/240V
LXLEDG45/2E27F	2 Watt	180Lm	2700K	Warm White	E27 / ES	Frosted	220/240V

LED REFLECTOR FILAMENT

- 220 and 350 Lumens
- 2700K
- 2W and 4W
- Beam angle: 70 and 130 Deg
- Coating: Clear
- Height: 90 and 102mm
- Diameter: 50 and 63mm

Specifications

- Life (Hours): 30,000
- Dimmable: No
- Power Factor: >0.4PF
- CRI: >80
- Material: Glass




Part Number	Wattage	Lumens	Colour Temperature	Colour	Base/Cap	Coating	Voltage
LXLEDR50/2E14C	2 Watt	220Lm	2700K	Warm White	E14 / SES	Clear	220/240V
LXLEDR63/4E27C	4 Watt	350Lm	2700K	Warm White	E27 / ES	Clear	220/240V

LED GLOBE FILAMENT

- 660 and 750 Lumens
- 2700K
- 6W
- Beam angle: 360 Deg
- Coating: Clear or Frosted
- Height: 175mm
- Diameter: 125mm

Specifications

- Life (Hours): 30,000
- Dimmable: No
- Power Factor: >0.5PF
- CRI: >80
- Material: Glass



Part Number	Wattage	Lumens	Colour Temperature	Colour	Base/Cap	Coating	Voltage
LXLEDG125/6E27C	6 Watt	750Lm	2700K	Warm White	E27 / ES	Clear	220/240V
LXLEDG125/6E27F	6 Watt	660Lm	2700K	Warm White	E27 / ES	Frosted	220/240V

EQUIVALENT GUIDE

LED

Incandescent

Halogen



GLS / Candle / Golf / Reflector / Globe

LED Wattage	Incandescent Wattage	Halogen Wattage
2W	25W	18W
4W	40W	28W
5W	50W	35W
6W	60W	42W

GU10

LED Wattage	Incandescent Wattage	Halogen Wattage
4W	-	35W
7W	-	50W

BASE/ CAPS



GU10



B15/SBC



B22/BC



E14/SES



E27/ES